

FR Pleated Shades



HunterDouglasContract

WINDOW COVERINGS



Offering superb control of privacy, daylight and solar heat gain, our versatile FR Pleated Shades are available in a wide variety of colors. These shades extend to full window width to eliminate light gaps, making them a good choice as a blackout layer behind other shading products.

SUSTAINABLE CONSTRUCTION

Certified for low emissions by the GREENGUARD Environmental Institute and passes strict requirements of GREENGUARD Children and SchoolsSM.

ENERGY EFFICIENT

Increased insulation at the window keeps heat in during the winter and out during the summer.

RELIABLE HARDWARE

Durable operating systems assure high quality performance.

LOW MAINTENANCE

Soil and dust-resitant materials require minimal cleaning.

LIFETIME GUARANTEE

Operating Systems



Standard Cordlock

Standard cord operating system.



LiteRise®

No pull cords or cord loops; hidden control system enables shades to be easily raised or lowered.



SoftGlide®

This continuous cord loop and clutch assembly makes operating large shades easier.



Two-On-One Headrail

Two shadings share the same headrail; each shade operates independently.



Top-Down/Bottom-Up

Operate shades from the top down, the bottom up or in combination.



Motorization

Versatile range of motors and control options to maximize shading benefits.



Specialty Shapes

Options include: arches, angles, circles, quarter circles, hexagons, octagons, trapezoids, and skylights.

FR Fabrics

- 1" pleat
- Available in two fabrics: Versailles semi-opaque and Castille semi-sheer
- Fabrics meet or exceed all requirements of NFPA 701 small-scale flammability testing for commercial applications
- Metallized fabric (Castille) for energy savings and sun reflection
- Winter R-value / Double Glazing Castille = 2.00/
Versailles = 2.32
- Summer Shading Coefficient / Double Glazing Castille = .50/
Versailles = .30

Additional Options

Inside or outside mount, spacer blocks, extension brackets, end mount brackets.



Shade dimensions vary based on fabric selection and hardware system. See Specifications section in the binder or visit our website for complete list of size limitations.

HunterDouglasContract

WINDOW COVERINGS

CEILING

SOLAR CONTROL

FAÇADES



This brochure was printed using:



30% Post Consumer Waste



Mixed Sources
Product group from well-managed
forests, controlled sources and
recycled wood or fiber
www.fsc.org Cert no. BV-COC-080105
© 1996 Forest Stewardship Council



By using post consumer recycled fiber in lieu of virgin fiber paper stock:

- 10 trees were preserved for the future.
- 28 lbs. of water-borne waste were not created.
- 4,143 gallons of waste water flow were saved.
- 458 lbs. of solid waste were not generated.
- 903 lbs. of net greenhouse gases were prevented.
- 6,907,950 BTUs of energy were not consumed.

Hunter Douglas Contract Window Coverings
12250 Parkway Centre Drive, Poway, CA 92064
Customer Service: 800.727.8953
Fax: 800.205.9819
www.hunterdouglascontract.com/windowcoverings

© 2009 Hunter Douglas Inc.® and ™ is a trademark of Hunter Douglas Inc.

The GREENGUARD INDOOR AIR QUALITY CERTIFIED mark is a registered certification mark used under license through the GREENGUARD Environmental Institute.



C O N B R O O 9 P L E A